

Morgan or proteus-morgani

Bacillus morgan (Bach)

None of these intestinal nosodes was the object of Hahnemannian experiment.

It is Elizabeth Paterson who has given a list of symptoms that she has collected from the patient cured by the different nosodes from about 300 clinical cases.

Stock

Gram negative bacilli, short, isolated, facultatively anaerobic, isolated from fecal matters of children suffering from summer diarrhoea. The diarrhoea is caused by these bacilli.

Generalities

It is often the question of a patient having blooming face, but in whom dominates a key-symptom: The congestion, cutaneous, pulmonary, hepatic, intestinal, cerebral, present or in his pathological antecedents.

Neuro-endocrino-psychic system

(a) Psychic:

Anxious, unstable, depressed, weeping or tense, active.

Tormented by his health.

Cannot remain alone.

Depression: Tendency to suicide.

Fear of unknown persons.

Fear of the crowd.

(b) Nervous:

Headache with red face, worse during storm, heat, by journey, by contrariety.

Migraine at the beginning of the menstruation.

Sensation of vertigo after strong nervous tension.

Periodic migraine, every week.

Congestive frontal headache, sometimes situated on the vertex or occiput specially in the morning.

(c) Endocrines:

Congestion of thyroid.

Digestive apparatus

(a) Mouth, tongue, pharynx:

Dryness of the mouth, bad breath, salivation.

Lips very red.

Fissures of the joints of lips.

Tongue burning; pain in the root of the tongue.

Ulcers and aphthae of the mouth.

(b) Stomach, intestines, abdomen:

Desire for fat, sweets, eggs, butter.

Pyrosis, acidity.

Burning of the stomach and of the throat.

Acidity and gastric pain, amel. by eating.

Painful sensation in the epigastrium.

Borborygmi.

Pain on hepato-vesicular region.

Redness and humidness of the naval region.

Constipation with anal pruritus.

Diarrhoea in the morning and after meals.

Anal fissure.

Cardio-hemo-vascular system

General arterial congestion, specially cerebral. High blood-pressure.

Venous congestion with hemorrhoids and varices.

Venous stasis of extremities, of legs and feet.

Respiratory system

(a) Throat:

Dry, burning and red.

Sensation of an apple seed, easily suffocated.

Inflammation of the tonsils which are covered with cheesy substances.

Cervical adenopathy.

(b) Lungs, pleura:

Congestive rales.

Dry, suffocating cough.

Hoarse cough in the morning, difficult to hack up the phlegm.

Short respiration.

Pleurodynia.

Sense organs

(a) Nose:

Anosmia.

Nasal fissure.

Congestion of the frontal and maxillar sinuses.

Epistaxis.

Dryness of the nasal mucous membrane.

(b) Eyes:

Granular inflammation of the cornea.

Chalazions.

(c) Ears:

Noises in the ears.

Otorrhoea.

Catarrhal inflammation.

Diminution of hearing.

Furuncle of the meatus.

Uro-genital apparatus

(a) Urinary:

Frequent painful micturitions.

Strong and corrosive urines.

Glycosuria.

(b) Genital:

Feminine

Intense vagino-vulvar pruritus.

Corrosive leucorrhoea, fetid, yellow, brownish or greenish.

Congestion of Bartholin gland.

Furuncle of the the vulva.

Dyspareunia.

Menorrhagia and metrorrhagia.

Masculine

Eruption on the the scrotum: Vesicular, desquamous, oozing. bright red, pruriginous.

Eruptions on the the perineum and on the groins.

Loco-motor system

Rigidity of the back and shoulders; scapular pains.

Painful swelling of the articulations of hands.

Nodosity of fingers.

Painful swelling of the knees.

Soles painful.

Aggravation of pains at night, by heat, at the beginning of movement.

Feels hot at night.

Skin, phanera

Papulo-pustular eruptions on the face.

Eruptions aggravated by heat, by washing.

Cannot bear the touch of linen on the skin.

Skin sensitive in the sun.

Erythrocyanosis of legs and feet.

Eczema of babies during teething.

Erythemotous aura around ulcers of legs.

Fetid sweat of the feet.

Fissure of heels.

Hairs fall out.

Modalities

Aggravation: By heat, at night, and by washing.

Ameoliration: While eating, by prolonged movement.

Posology

Dynamisation: 12 c, 30 c, 200 c, 1 m, 10 m, 50 m, CM.

According to Hui-Bon-Hoa, a high dilution 30 c is prescribed in acute stage. In chronic cases, says the author, "during exacerbation of a miasm, it is necessary to prescribe a high dilution (1 m, CM) and the doses should be repeated; during the chronic phase, it is necessary to use a lower dilution and to repeat. In cases of lesions, a lower dilution is to be used in 12 c, which should be repeated until the patient feels well.

In mental cases, a high dilution is to be prescribed (50 m, CM) and should not be repeated.

Positive diagnosis

Key symptoms: Congestion of organs and mucouses.

Irritable, depressed persons.

Congestive headache with vertigo.

Hepato-gastric congestion.

Articular congestion.

Congestive, oozing, pruriginous eruptions on the skin.

Eczema of babies during dentition.

Differential diagnosis

Sulphur: Morbid metastasis. Burning sensation in the organs and of the mucous membrane; burning pruriginous eruptions. Red orifices.

Patient busy, restless. Contrariety.

Sensation of weakness at 11 a.m.

Psorinum: See the article on Psorinum.

According to Mme Paterson: Sulphur, Pulsatilla, Graphites, Sepia, Calc. carb., Kali carb., Calc. fluor., Nux vomica., Natrum carb., Causticum, Petroleum, Lycopodium, Psorinum, Thuya, Tuberculinum, Rhus-tox., Kali biochromaticum, Silicea, S.S. C. (Sulf+Sil+Carbo. veg.); Kali sulph., Hep. sulph., Natrum sulph., Calc. sulph., Medorrhinum, Calc. silicate.

Clinical diagnosis

Generalities

To be prescribed when "there is a history of repeated congestion of the lungs or of a broncho-pneumonia in children, or biliary diskinesia of women during menopause. (J. Hui-Bon-Hon).

Neuro-endocrino-psychic system

Depressive psychosis.

Menace of cerebral congestion.

Menstrual migraine.

Hepatic migraine.

Congestive headache.

Menier's syndrome.

Agoraphobia.

Digestive apparatus

Chronic cholecystitis.

Biliary lithiasis.

Constipation.

Anal pruritis.

Warts on the tongue.

Glossodynia. aphthae.

Fissures of the joints of lips.

Anal fissures.

Cardio-hemo-vascular system

Varices.

Hemorrhoids.

Erythrocyanosis of young girls.

Hypertension.

Cerebral thrombosis.

Respiratory apparatus

Broncho-pneumonia.

Acute bronchitis, specially of children.

Tonsillitis, laryngitis, pharyngitis, trachitis.

Emphysema.

Dry asthma.

Sense organs

Eyes: Conjunctivitis, styes, chalazions.

Phlyctenular keratitis.

Iritis.

Ears: Otorrhoea.

Congestive deafness.

Furuncles of the meatus.

Menier's disease.

Nose: Rhinitis.

Sinusitis.

Anosmia, epistaxis.

Uro-genital apparatus

Dysmenorrhoea.

Acute salpino-ovaritis.

Dyspareunia.

Pruritis of the vulva.

Fibroma, bartholinitis.

Furuncles of the vulva.

Renal lithiasis.

Cystitis.

Eczema of the scrotum, and of perineum.

Loco-motor system

Scapulo-humeral arthritis.

Dorsal arthrosis.

Gonarthrosis.

Arthrosis of small joints.

Spondylarthrosis.

Arthritis of the wrists.

Fibrous rheumatism.

Skin, phanera

Chillblains. Acrocyanosis.

Pruritis sine materia.

Ecne. Ecne rosacea.

Eczema of the buttocks of children.

Alopecia. Acne.

Furuncles.

Flat warts on hands.

Varicose veins.

Reference:

This Medicine is taken from JULIAN O. A., Materia Medica of New Homeopathic Remedies (j11)

Compiled by: Sohaib.mehsori@gmail.com