



WELCOME

www.ck12.org



§246
6th ed

§246
6th ed

Every perceptible progressive and strikingly increasing amelioration during treatment is a condition which, as long as it lasts, completely precludes every repetition of the administration of any medicine , because all the good the medicine taken continues to effect is now hastening towards its completion.

§246
6th ed

**A single dose of
Homoeopathically selected remedy**



**Accomplishes all the good
in periods of 40, 50 or 100 days**



**A diminished duration of cure
should be obtained**

§246
6th ed

Conditions for a speedy cure
**Firstly, if the medicine
selected with the utmost care
was perfectly homoeopathic**

Conditions for a speedy cure
**Secondly, if it is highly potentized,
dissolved in water
and given in proper small dose
in definite intervals
but with the precaution,
that the degree of every dose
deviate somewhat from
the preceding and
following dose**

§246
6th ed

With unmodified and
rapidly repeated doses

The vital principle
which is to be altered
to a similar medicinal disease
is aroused
to untoward reactions
and revolt

§246
6th ed
FN

New altered but perfected method

The same medicine
may be given daily
and for months,
if necessary
in this way
after the lower potency
has been used for
1 or 2 weeks,
advance is made
in the same way
to higher degrees

§247
6th ed

§247
6th ed

**It is impractical to repeat
the same unchanged dose
of a remedy once,
not to mention its
frequent repetition
(and at short intervals
in order not to
delay the cure)**

§247
6th ed

Consequences of repetition
of same unchanged dose

The vital principle does not accept such unchanged doses without resistance, that is, without other symptoms of the medicine to manifest themselves than those similar to the disease to be cured, because the former dose has already accomplished the expected change in the vital principle and a second dynamically wholly similar, unchanged dose of the same medicine no longer finds, the same conditions of the vital force.

§247
6th ed

**Consequences of repetition
of same unchanged dose**

**The patient may indeed be made sick
in another way by receiving
other such unchanged doses,
for now only those symptoms
of the given remedy remain active
which were not homoeopathic
to the original disease,
hence no step towards cure can follow,
only a true aggravation
of the condition of the patient.**

§247
6th ed

If the succeeding dose
is changed slightly every time
The vital principle may be altered
without difficulty
by the same medicine
and thus the cure brought nearer

§247
6th ed
FN

Dry doses

We ought not even with the best chosen medicine, for instance one pellet of the same potency that was beneficial at first, to let the patient have a second or third dose, taken dry.

§247
6th ed
FN

Dissolved doses
If the first dose
proved beneficial,
a second or third
and even smaller dose
from the bottle
standing undisturbed,
even in intervals
of a few days,
would prove
no longer beneficial

§248
6th ed

Medicinal solution
40, 30 or 8 tablespoon of water

+

One globule of medicine



8, 10 or 12 succussions



1 tablespoon from this solution

To

A glass of water (7 to 8 teaspoon)



Stirr thoroughly



Give a dose to patient (teaspoonful)

§248

6th ed

FN

New altered but perfected method

The same medicine
may be given daily
and for months,
if necessary
in this way
after the lower potency
has been used for
1 or 2 weeks,
advance is made
in the same way
to higher degrees

§246
6th ed
FN

For sensitive patients

**A teaspoonful of this solution
may be put in a second glass of water,
thoroughly stirred and
teaspoonful doses or more be given.**

**There are patients
of so great sensitiveness
that a third or fourth glass,
similarly prepared,
may be necessary.**

**Each such prepared glass
must be made fresh daily.**

**§248
6th ed
FN**

§248
6th ed

Repetition

One or increasingly
several teaspoonful doses in
1) long standing diseases



daily or every 2nd day
2) acute diseases



every 2 to 6 hours

3) very urgent diseases




every hour or oftener

§248
6th ed

**If the solution is used up
Add to the next solution
of the same medicine
if still indicated
one or several pellets
of a higher potency
with which we continue
as long as the patient
experiences continued >**

§248
6th ed

- Continue the medicine till
- 1) encountering one or another complaint that he never had before in his life.
(new symptoms)
 - 2) homoeopathic aggravations by which the balance of the morbid symptoms seem to again increase somewhat
(Schein symptoms)



New symptoms Mentioned in § 249 and § 250

§248
6th ed

§248
6th ed

Schein symptoms

The medicinal disease,
similar to the original,
now alone persistently
manifests itself.

The doses in that case
must be reduced still further
and repeated
in longer intervals
and possibly stopped
several days

\$249
5th & 6th
ed

www.similima.com

New symptoms
Indicates unsuitableness
of medicine



Select a
new medicine



antidote



new related
medicine

§249
5th & 6th
ed

Antidote

If the aggravation
be considerable,
the old medicine
is first partially neutralized
as soon as possible
by an antidote
before giving the next remedy
chosen more accurately
according to
similarity of action

§249
5th & 6th
ed

New related remedy

**If the troublesome symptoms
be not very violent,
the next remedy
must be given immediately,
to take the place
of the improperly
selected one.**

**§249
5th & 6th
ed**



\$250
5th & 6th
ed

\$250
5th & 6th
ed

Urgent cases
Bad selection
of medicine



The patient's state
is growing perceptibly,
worse from hour to hour,
by the occurrence
of new symptoms
and sufferings



Select a
new medicine
according to
§ 167

§250
5th & 6th
ed

§251
5th & 6th
ed

Alternating actions

There are some medicines
(e.g. , ignatia, also bryonia and rhus,
and sometimes belladonna)
whose power of altering man's health
consists chiefly in alternating actions
- a kind of
primary-action symptoms
that are in part opposed
to each other.

§251
5th & 6th
ed

§251
5th & 6th
ed

Alternating actions
**If no improvement
follows after prescribing
an indicated medicine,
give (in acute diseases,
even within a few hours)
a fresh and equally small dose
of the same medicine.**

§251
5th & 6th
FN

Alternating actions
described in
the introduction
to "Ignatia"
(in the first volume
of the Materia Medica Pura).



§252
5th & 6th
ed

If best selecte remedy fails

Sure sign that
the cause that keeps up
the disease still persists,
and that there is some
circumstance in the mode
of life of the patient
or in the situation
in which he is placed,
that must be removed
in order that
a permanent cure
may ensue.

§252
5th & 6th
ed

§253
5th & 6th
ed

Signs of amelioration

Observe a greater degree
of comfort,
increased calmness
and freedom of the mind,
higher spirits
- a kind of return
- of the natural state.

§253
5th & 6th
ed

§253
5th & 6th
ed

Signs of aggravation
A constrained, helpless,
pitiable state of the disposition,
of the mind,
of the whole demeanour,
and of all gestures,
postures and actions



\$255
5th & 6th
ed

Importance of record keeping

§255
5th & 6th
ed

§255
5th & 6th
ed

Delay in improvement

- 1) Error of conduct on the part of patient
- 2) Homoeopathic aggravation

\$256
5th & 6th
ed



**sign
of
aggravation**

**§255
5th & 6th
ed**



T

H

A

N

X